



VMC-22LED

Article number: 203926

21.5" (54.6cm) LCD/TFT Monitor Full HD, 1920x1080, LED, 3D-Comb Filter, HDMI, VGA

Mainfeatures

21.5" (54.6 cm) Full HD LCD/TFT monitor

LED backlight technology

Line shift anti-burn pixel protection

Stereo audio inputs

Metal cabinet with tilt back

Resolution 1920 x 1080, 16:9

3D comb filter, de-interlace & noise reduction

HDMI, DVI-D, VGA, Y/C, composite inputs

User friendly multi language OSD

Optical glass hardness = 8H

Specifications

Series	eneo VMC
Menu languages	German, English, Spanish, Italian, French
Supply voltage	100 ~ 240VAC, 50/60Hz
Power consumption	45W (AC)
Temperature range (operation)	0°C ~ +50°C
Housing material	metal
Certificates	CE
Dimensions (HxWxD)	338x519x79mm
Weight	6.2kg
Parts supplied	power cord, manual, IR remote controller, VGA cable
Resolution pixels	1920x1080
Serial interfaces	no
Mount	VESA standard (4 threads M4, 100x100mm)
Video outputs	2x Composite, Y/C



VMC-22LED

Specifications continued

Audio inputs	2
Screen size	21.5"
Screen Size (cm)	54.6 cm
Comb filter	yes
Comb filter	3D comb filter with de-interlace
Contrast ratio typical	1000:1
Brightness typical	250 cd/m ²
Viewing angle vertical	160 °
Viewing angle horizontal	170 °
Response time typical	5 ms
Video inputs (type)	2x composite (CVBS), 2x HDMI, VGA, DVI-D, S-Video
Loudspeaker	2
Gehäusefarbe	black

VMC-22LED

Available Accessories

Bild	Art. Nr. / Bezeichnung	Beschreibung
	90468 / VMC-LCD/WMB-4	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable
	208865 / VMC-LCD/WMB-2	Wall Bracket for TFT/LCD Monitors, straight, VESA
	208870 / VMC-LCD/CMB-3	Ceiling Mount Bracket for TFT/LCD Monitors, 15" up to 37", VESA
	208875 / VMC-LCD/WMB-3	Wall Bracket for TFT/LCD Monitors, 26" up to 47", VESA, Tilt 10°

Your Contact Person



TechWare Finland Oy
Koivupuistontie 26
01510 Vantaa
FI
Tel.: +358(0) 20 720 9650
E-Mail: info@techware.fi
Web: www.techware.fi